


Huddly C1 Crew ™
Quick Start Guide



C1 Crew kit




Build your own




An **additional USB cable** (depending on your meeting compute) is needed to **install with a room system.**

Kit overview



	Item	Quantity
A	Huddly C1	1
B	Power Cable & Power Adapter	1
C	Wall Mount (incl. Mounting Template)	1
D	One-Way USB-C Cable, 5 m / 16.4'	1
E	HDMI Cable, 2 m / 6.6'	1
F	Huddly Crew Add-On Camera	2
G	Wall Mount	2
H	Ethernet Cable, 3 m / 9.8'	2
I	Network Switch	1
J	Power Adapter	1
K	Regional Power Cable	4
L	Ethernet Cable, 3 m / 9.8'	1

Build your own




	Item	Quantity
Huddly C1:		**1**
A	Huddly C1	1
B	Power Cable & Power Adapter	1
C	Wall Mount (incl. Mounting Template)	1
D	One-Way USB-C Cable, 5 m / 16.4'	1
E	HDMI Cable, 2 m / 6.6'	1
Huddly Crew Add-On Camera:		**2**
F	Huddly Crew Add-On Camera	2
G	Wall Mount	2
H	Ethernet Cable, 3 m / 9.8'	2

Source separately:

A	Network Switch See requirements	1
B	Ethernet Cable for C1	1

Have you set up C1?


Yes.
C1 is set up.
Skip to page 9.




No.
Just got started.
Continue to the next page.



1. Option A
Install with a room system




Meeting compute




- An **additional USB cable** is needed to connect C1.
- The **cable type** depends on your meeting compute.


1. Option B
Install with a laptop




- Take the **One-Way USB-C Cable** included.
- Plug end **A** into port **A** USB-C


2. Mount C1 on wall








Not included:
2x M4 / #8 screws







Back panel view

The supplied wall bracket has been evaluated for mounting Huddly C1 at any height. The installer must select and use screws appropriate to the wall type to securely fix C1 to the wall. The Kensington lock shall be used to secure C1 in place if it is not mounted in direct conjunction with a TV or monitor. The Kensington lock shall be of a suitable length to prevent C1 from accidentally coming off the bracket.


3. Connect all cameras to the network switch




C1 back panel view




4. Find the best camera placement







Recommended for optimal audio performance and speaker detection: a **3 cm / 1.2"** gap above the C1 and **5 cm / 2"** above each Crew Add-On Camera.


5. Mount Crew Add-On Cameras



Not included:
4x M5 / #10 screws for 2 Crew Wall Mounts








6. Update software


- Download Huddly Connect app.

huddly.com/app

Huddly Connect

- Update to the latest software version.
  - Connect the installed C1 Crew to a PC.
  - Open the Connect App.
  - Click the **Settings** cogwheel.
  - Go to **Camera Info** to update the software.







7. Enable multi-camera experience

- **Huddly Director** toggle switches between single- and multi-camera experiences.











8. Test the setup


- Setup with **a room system:**
  Test audio and video.



- Setup with **a laptop**:
  Test audio, video, and screen-sharing. If there are issues, check the one-way USB-C cable orientation.



Have questions? We're here to help.
support.huddly.com



Products covered by intellectual property rights, including patents. huddly.com/IPR

Please consult huddly.com/compliance to find regulatory and other useful information.