


CERTIFICATE

of Conformity

Registration No.: AK 60173965 0001
Report No.: 60137295 002
Holder: Vitra Factory GmbH
Charles-Eames-Str. 2
79576 Weil am Rhein
Deutschland



Product: Visitors Chair
Contract chair "Stool Tool"

Type designation listed on the next page

The certificate of conformity refers to the above-mentioned product. This is to certify that the specimen is in conformity with the assessment requirement mentioned on the next page. This certificate does not imply assessment of the production of the product and does not permit the use of a TÜV Rheinland mark of conformity.

Date: 2024-01-29

Certification Body

K.-H. Heider



TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

CERTIFICATE

of Conformity

Registration No.: AK 60173965 0001

Product: Visitors Chair
Contract chair "Stool Tool"

Tested according to: ANSI/BIFMA X5.1-2017 (R2022)

Identification: Type Designation
Contract chair without armrests
made of polypropylene, incl. stacking
protectors. Up to 10 units can be stacked.
Possible function as small work or
storage surface.



TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

CERTIFICATE OF COMPLIANCE



Vitra Factory GmbH

Stool-Tool

229632-420

Certificate Number

22 Apr 2021 - 11 May 2026

Certificate Period

Certified

Status

UL 2818 - 2022 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings

Commercial furniture and furnishings are tested in accordance with ANSI/BIFMA M7.1-2011(R2016) and determined to comply with ANSI/BIFMA X7.1-2011(R2016) and ANSI/BIFMA e3-2019 Credit 7.6.1, 7.6.2, and 7.6.3. Seating products are modeled in the seating environment with a ventilation rate of 24.8 m³/hour. Products also determined compliant in accordance with California Department of Public Health (CDPH) Standard Method V1.2-2017.

Product tested in accordance with UL 2821 test method to show compliance to emission limits on UL 2818. Section 7.1 and 7.2.



UL investigated representative samples of the identified Product(s) to the identified Standard(s) or other requirements in accordance with the agreements and any applicable program service terms in place between UL and the Certificate Holder (collectively "Agreement"). The Certificate Holder is authorized to use the UL Mark for the identified Product(s) manufactured at the production site(s) covered by the UL Test Report, in accordance with the terms of the Agreement. This Certificate is valid for the identified dates unless there is non-compliance with the Agreement.

GREENGUARD Gold Certification Criteria for Office Furniture Seating

Criteria	CAS Number	Maximum Allowable Predicted Concentration	Units
TVOC ^(A)	-	0.22	mg/m ³
Formaldehyde	50-00-0	4.5 (3.65 ppb)	µg/m ³
Total Aldehydes ^(B)	-	0.043	ppm
4-Phenylcyclohexene	4994-16-5	6.5	µg/m ³
1-Methyl-2-pyrrolidinone ^(C)	872-50-4	80	µg/m ³
Individual VOCs ^(D)	-	1/4 CREL or 1/100th TLV	-

- (A) Defined to be the total response of measured VOCs falling within the C₆ – C₁₆ range, with responses calibrated to a toluene surrogate.
- (B) The sum of all measured normal aldehydes from formaldehyde through nonanal, plus benzaldehyde, individually calibrated to a compound specific standard. Heptanal through nonanal are measured via TD/GC/MS analysis and the remaining aldehydes are measured using HPLC/UV analysis.
- (C) Based on the CA Prop 65 Maximum Allowable Dose Level for inhalation of 3,200 µg/day and an inhalation rate of 20 m³/day.
- (D) Allowable levels for chemicals not listed are derived from the lower of 1/4 the California Office of Environmental Health Hazard Assessment (OEHHA) Chronic Reference Exposure Level (CREL) as required per the CDPH/EHLB/Standard Method v1.2 and BIFMA level credit 7.6.2 and 1/100th of the Threshold Limit Value (TLV) industrial work place standard (Reference: American Conference of Government Industrial Hygienists, 6500 Glenway, Building D-7, and Cincinnati, OH 45211-4438).



Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

S 60181432 0001

Berichtsnummer *Report No.:*

DE251B4F 001

Genehmigungsinhaber *License Holder:*

Vitra Factory GmbH
Charles-Eames-Str. 2
79576 Weil am Rhein
Deutschland

Fertigungsstätte *Manufacturing Site:*

Vitra Factory GmbH
Charles-Eames-Str. 2
79576 Weil am Rhein
Deutschland

Prüfzeichen *Test Mark:*

Geprüft nach *Tested according to:*

DIN EN 16139/03.14
AfPS GS 2019:01 PAK

Geräteidentifikation

Product Identification
Produkt:

Stuhl

Product:

(Stool)

Modell:

Modelle sind auf nächste(r) Seite(n) gelistet

Type:
Type designation(s) are listed on the next page(s)
Technische Daten:

Objektstuhl / Contract chair Modell/Model "Stool Tool"

Technical Data:

ohne Armlehnen / without armrests

Prüfung nach DIN EN 16139, Belastungsstufe 2 /
Tests according to DIN EN 16139, Level 2

Parent-ID: 0000052050

Gültig bis:

2030-03-23

Date of expiry:
Gültig ab:

2025-03-24

Valid from:
Zertifizierungsstelle:
Certification body:

Ausstellungsdatum:

2025-03-24

Date of issue:

Dipl.-Ing. F. Hövel

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Produkt und Fertigungsstätte erfüllen § 20 des
Produktsicherheitsgesetzes.
*This certificate is based on our Testing and Certification Regulation.
The provisions of §20 Product Safety Act are complied with.*

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
<http://www.tuv.com/safety> E-mail: markcheck@tuv.com

Fax: +49 221 806-3935

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

S 60181432 0001

Berichtsnummer *Report No.:*

DE25IB4F 001

Produkt *Product:* Stuhl
(Stool)

Modell *Type:* **Bezeichnung** *Designation:*
Objektstuhl Modell "Stool Tool" ohne Armlehnen

Objektstuhl ohne Armlehnen aus Polypropylen, inkl. Stapelschutz.
Bis zu 10 Stück stapelbar.

Mögliche Nutzung als kleine Arbeits- oder Ablagefläche.



Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

S 60181432 0001

Berichtsnummer *Report No.:*

DE25IB4F 001

Produkt *Product:* Stuhl
(Stool)

Modell *Type:* **Bezeichnung** *Designation:*
Contract chair model "Stool Tool" without armrests

Contract chair without armrests made of polypropylene, incl. stacking protectors. Up to 10 units can be stacked.

Possible function as a small work or storage surface.

