

AVer Classroom Technology

Product Catalogue



CHANGING THE WORLD ONE CLASSROOM AT A TIME

Every time we support a classroom, we honour our commitment to creating a brighter tomorrow for communities across the globe. This vision has been the cornerstone of our business since 2008 and has inspired us to provide award-winning educational technology solutions to thousands of institutions. We believe technology has the power to influence natural learning and innovation among our young communities, and the impact of today' s technology determines the brightness of tomorrow.


Classroom Technology Solutions





- 6 PTZ Cameras
- 7 Distance Learning & Auto Tracking Cameras

TAIWAN



Visualisers

Digitise All Kinds of Teaching Materials

All-in-One for Presentations, Videos & Live Broadcasts

Collaborative Learning with Classroom Software

Distance Learning

Visualiser Promo Video

Flexible Arm

The 360° flexible arm features high adjustability and mobility. Bend and adjust the gooseneck however you need to without missing a single detail. Plus, portable designs let you carry them anywhere to conveniently upgrade learning environments.



Flexible Arm Visualiser Solutions

Mechanical Arm

A fully adjustable mechanical arm is robustly expandable and foldable. The rotatable lens enables teachers to capture images of both A3 documents and 3D models from multiple angles, greatly improving education quality.

M15-13M

- 4K Ultra HD 60fps
- 13 Megapixels
- 23X Total Zoom
- HDMI Output

M11-8MV

- Full HD 1080p 60fps
- 8 Megapixels
- 20X Total Zoom
- HDMI & VGA Output



F50-8M

- Full HD 1080p 60fps
- 8 Megapixels
- 204X Total Zoom (10X Optical Zoom)
- HDMI & VGA Output / Input

F17-8M

- Full HD 1080p 30fps
- 8 Megapixels
- 27.2X Total Zoom
- HDMI & VGA Output / Input



M90UHD

- 4K Ultra HD 60fps
- 13 Megapixels
- 322X Total Zoom (14X Optical Zoom)
- HDMI & VGA Output / Input



M17-13M

- Full HD 1080p 60fps
- 13 Megapixels
- 35.2X Total Zoom
- HDMI & VGA Output / Input



M17-13M Intro Video



M5

- 3264 x 2448 (8M) Output Resolution
- 8 Megapixels
- 16X Digital Zoom (via AVerTouch)
- USB 2.0 Output



M5 Intro Video



ever used. "

The AVer document camera has

been the best teaching tool I have

Broadneck Elementary School Teacher

- Theresa Brown

Wireless



Wireless visualisers support both wired and wireless image sharing, and they work as webcams for livestreaming. Also, they feature a high-endurance Li-ion battery so teachers can break space limitations and take learning anywhere.



M70W

- 4K Ultra HD 60fps
- 13 Megapixels
- 230X Total Zoom (10X Optical Zoom)
- HDMI Output / Input





USB visualisers are easy to operate, allowing users to transmit images and videos on computers by simply plugging in a USB cable. Online teaching is much easier without complex installation steps and troublesome cables.



ClassSend (For Students)

Sphere2 (For Teachers)

through laptops or tablets.

Teachers can access the visualiser

menu and operate teaching functions

AVer Classroom Software

Install Infinite Teaching Possibilities

Students can log into a virtual classroom to interact by receiving, editing, and sharing files.



CaptiSphere (For Teachers & Students)

Teachers can easily edit videos, create materials, and give quizzes. Students can download the materials at any time.



AVerTouch

AVerTouch can one-touch connect AVer visualisers with mobile devices for content sharing. Users can sync to the cloud to automatically save annotated, captured, and recorded files. Teaching is incredibly fun when you use AVerTouch to engage with your students.











M15W

- 4K Ultra HD 60fps

M70W & M15W





U70+

- 4K Ultra HD 60fps
- 13 Megapixels
- 16X Total Zoom
- SuperSpeed USB 3.0 Output





U70 Intro Video

U50

- Full HD 1080p 60fps













Charge & Sync Carts (Trolleys) / Cabinet

- ✓ Intelligent Charging Technology
- Safe & Stable Design
- Suitable for Different Mobile Devices
- Unrivaled Warranty
- Superb Training & Customer Service



Cart (Trolley) / Cabinet



AC Charging

The intelligent charging system dynamically monitors different charging areas, automatically distributing electricity according to demand, centralising the power in the lowest battery area and ensuring every device is efficiently charged.

C36i+



- 36-Device Capacity
- Intelligent Charging Technology
- Smooth Slide-Out Shelves
- Adjustable Device Dividers
- Patented Cable-Clip Management

E32c+

- 32-Device Capacity
- Cycle Charging Technology
- Streamlined Cable Management
- Space-Saving Design



E24c+

- 24-Device Capacity
- Cycle Charging Technology
- Streamlined Cable Management
- Space-Saving Design



E32c & E24c Intro Video



E12

US, EU & UK SKUs

- 12-Device Capacity
- Fully Charging Technology
- DIY Charging Station
- Adjustable Device Dividers
- Patented Cable-Clip Management





X12

Intro Video



- 12-Device Capacity
- Intelligent Charging Technology
- Stack Devices However You Want
- Adjustable Device Dividers
- Patented Cable-Clip Management



C20i

- 20-Device Capacity
- Intelligent Charging Technology
- Adjustable Device Dividers
- Patented Cable-Clip Management



Intro Video





USB Charging

Teachers can charge and sync data to mobile devices at the same time. The USB ports are installed at the front for easy plug-and-go charging.





- 30-Device Capacity
- DC 5V/3A Charging Power
- USB Ports at the Front
- Smooth Slide-Out Shelves

zoom

Distance Learning Tracking Camera

Perfect for distance learning and hybrid classrooms. Simple controls and plug-and-play connectivity are the biggest advantages and ideal for installing in every classroom. Teachers can present freely onstage while livestreaming so students can learn no matter where they are.







Boost Your Distance Learning with Auto Tracking

DL30 USB Type-B

- Full HD 1080p at 60fps
- 12X Optical Zoom
- Upside-Down Installation
- No Extra Devices Needed
- Al Auto Tracking Functions: Presenter/Zone/Hybrid Mode



DL30 Intro Video






- Full HD 1080p at 60fps
- 3X Optical Zoom
- Upside-Down Installation
- No Extra Devices Needed
- Built-in Microphones
- Gesture Control AI
- Al Auto Tracking Functions: Presenter/Zone/Hybrid Mode



DL10 Intro Video

Professional PTZ Cameras

Broadcast, stream, and record—all with one camera! Equipped with optical zooms and advanced AI tracking technology, Professional PTZ Cameras capture every detail of classrooms, auditoriums, stages, meeting rooms, and houses of worship.











Stage Mode




Segment Mode





Hybrid Mode



Value-added Software



CaptureShare











- Multiple Control Interfaces
- VISCA/Pelco-D/Pelco-P

Auto Tracking Cameras

PTC500S



- 30X Optical Zoom
- Dual Lens Design
- No Extra Devices Needed
- Multi-Presenter Detection
- AI Tracking Modes: Wide Area/Stage/Segment Mode



PTC500S Intro Video

TAIWAN



• Upside-Down Installation

PTC330

PTC330N NDI'HX

• 30X Optical Zoom

• Full HD 1080p at 60fps





PTC300 Series Intro Video



- 4K Ultra HD 30fps
- 12X Optical Zoom
- Upside-Down Installation
- No Extra Devices Needed
- · AI Tracking Modes: Presenter/Zone Mode
- * PTC310H/PTC310HN has no 3G-SDI port.













PTZ330 / PTZ330N NDI HX PTZ310 / PTZ310N NOTHX

- Full HD 1080p at 60fps
- 30X/12X Optical Zoom
- Upside-Down Installation
- No Extra Devices Needed
- Al Tracking Modes: SmartShoot/SmartFrame

** PTZ330, PTZ330N, PTZ310, and PTC310U receive Barco Certified Certifications *** PTZ310, PTZ310N and PTC310N receive Zoom Rooms Certifications









PTZ330 & PTZ310 Intro Video

TECHNOLOGY PARTNERS





































Visualiser Comparison Chart

		2	"		1	7	٦	>	5		>		
Model	F50-8M	F17-8M	M90UHD	M17-13M	M15-13M	M11-8MV	M5	M70W	M15W	U70+	U50		
Туре	Type Flexible			Mechanical				Mechanical & Wireless USB					
Sensor (MP)	8	8	13	13	13	8	8	13	13	13	5		
Wireless Connectivity	×	×	X	X	X	X	X	√	√	X	X		
Digital Zoom	20.4X	27.2X	23X	35.2X	23X	20X	16X	23X	23X	16X	8X		
Optical Zoom	10X	1X	14X	1X	1X	1X	1X	10X	1X	1X	1X		
Max Display Resolution	1080p	1080p	4K	1080p	4K	1080p 3168 x 2376 (USB)	3264 x 2448 (8M)	4K	4K	4K	1080p		
Shooting Area	Larger than A4	Larger than A3	Larger than A3	Larger than A3	Larger than A3	Larger than A3	Larger than A3						
Max FPS	60fps	30fps	60fps	60fps	60fps	60fps	Full HD 1080p at 60fps 3264 x 2448 at 15fps	60fps	60fps	60fps	30fps		
External Storage	SD / USB	SD / USB	SD / USB	SD / USB	X	Micro SD / USB	X	USB	X	X	х		
USB to PC	√	√	\checkmark	\checkmark	\checkmark	√	√	√	√	√	√		
Webcam Support (UVC)	√	√	√	√	√	√	√	√	√	√	√		
Built-in MIC	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	√	√	√	√	√		
Speaker Out	\checkmark	√	\checkmark	\checkmark	X	X	X	X	X	X	X		
One Touch Recording	√	√	√	√	X	√	X	√	X	X	X		
Onboard Annotation	√	X	X	√	X	√	X	X	x	x	x		
HDMI	Out / In	Out / In	Out / In	Out / In	Out	Out	X	Out / In	Out	X	X		
VGA	Out / In	Out / In	Out / In	Out / In	X	Out	X	X	X	X	X		
RS-232	√	X	Optional	X	X	X	X	X	X	X	X		
Remote Control	√	√	√	√	X	×	×	√	X	X	X		
Rechargeable Battery	X	X	X	X	X	×	X	√	√	x	x		
Warranty	5 Years	5 Years	5 Years	5 Years	3 Years	3 Years	1 Year	5 Years	3 Years	2 Years	2 Years		

Cart (Trolley) / Cabinet Comparison Chart

Model	C36i+	E32c+	E24c+	C20i	E12	X12	C30u+	
Туре	AC Charging							
Device Capacity	36	32	24	20	12	12	30	
Supported Devices	Up to 15"	Up to 15.6"	Up to 15.6"	Up to 16"	Up to 15.6"	Up to 15"	All USB Charged	
Slot Dimensions (W x D x H) mm	36 x 380 x 260	26 x 367 x 301	32 x 367 x 301	36 x 419 x 330	30 x 425 x 311	34 x 419.1 x 304.8	34 x 380 x 225	
Cart Dimensions (W x D x H) mm	790 x 634 x 1070	640 x 632 x 1039	640 x 632 x 1039	688 x 637 x 1060	527 x 453 x 445	614 x 483 x 448	637 x 686 x 1037	
LED Indicator Lights	V	X	X	V	X	X	√ (Individual)	
Sync/Charging	Charging	Charging	Charging	Charging	Charging	Charging	Sync / Charging	
Power Management	Adaptive Intelligent Charging	Smart Cycle AC Charging	Smart Cycle AC Charging	Self-monitoring, Smart AC Charging	Smart Cycle AC Charging	Smart AC Charging	USB Type-C	
Cable Management	√	V	√	√	√	√	√	
Individual AC Adapter Compartments	V	V	V	V	X	X	X	
Shelves	Sliding	Fixed	Fixed	Fixed	Fixed	Fixed	Sliding	
Net Weight	80 kg (176.4 lbs)	52 kg (114.64 lbs)	50 kg (110.23 lbs)	65.6 kg (145 lbs)	17 kg (37.48 lbs)	22.5 kg (49.60 lbs)	76 kg (168 lbs)	
External Power Outlets	2	X	X	2	X	X	2	

14

Warranty Mechanical: 10 Years ; Electrical: 5 Years

^{*} Specifications may vary depending on location and are subject to change without notice

Specifications may vary depending on location and are subject to change without notice

Distance Learning Camera Comparison Chart

		9
Model	DL30	DL10
Camera		
Effective Picture Elements	2 Megapixels CMOS	2 Megapixels CMOS
Output Resolution	Full HD 1080p 60fps	Full HD 1080p 60fps
Optical Zoom	12X	3X
HFOV	76.5° (Wide) to 6.8° (Tele)	82° (Wide) to 31.7° (Tele)
Pan/Tilt Rotation	Pan: ±170° Tilt: ±90°	Pan: ±170° Tilt: ±90°
Pan/Tilt Speed	Pan: 1° to 90°/sec Tilt: 7.85° to 45°/sec	Pan: 1° to 100°/sec Tilt: 10.8° to 100°/sec
Preset Speed	Pan: 120°/sec Tilt: 110.84°/sec	Pan: 200°/sec Tilt: 200°/sec
Output Interfaces	IP, USB	IP, USB
USB Video Formats	MJPEG, YUY2	MJPEG, YUY2
UVC	UVC 1.1	UVC 1.1
UAC	UAC 1.0	UAC 1.0
Control Interfaces	IP, USB	IP, USB
Network Protocols	IPv6, IPv4, TCP, UDP, ARP, ICMP, IGMP, HTTP, DHCP, RTP / RTCP, RTSP, RTMP, VISCA over IP	IPv6, IPv4, TCP, UDP, ARP, ICMP, IGMP, HTTP, DHCP, RTP / RTCP, RTSP, RTMP, VISCA over IP
Control Protocols	VISCA (IP), CGI (IP), USB	VISCA (IP), CGI (IP), USB
Auto Tracking Modes	Presenter Mode, Zone Mode, Hybrid Mode	Presenter Mode, Zone Mode, Hybrid Mode
Gesture Control	_	Yes (Tracking On/Off, Full/Upper Body)
Protection Modes	Privacy Mode, Sleep Mode	Privacy Mode, Sleep Mode
Microphones		
Built-in Microphones	_	2 (Omnidirectional)
Noise Suppression		Yes
Pickup Range	_	5 m
Sensitivity	_	-33 dBFS
Frequency Response	_	30 Hz to 20 KHz
Maximum SPL	_	129 dB SPL at 0.5 m
Warranty	Camera: 3 Years ; Accessories: 1 Year	

^{*} Specifications may vary depending on location and are subject to change without notice

Professional PTZ Camera Comparison Chart

Model	PTC500S PTC500+	PTC330 PTC330N	PTC310U PTC310UN	PTC310H PTC310HN	PTZ330 PTZ330N	PTZ310 PTZ310N			
PTZ Camera									
Effective Picture Elements	2 Megapixels CMOS	2 Megapixels CMOS	8 Megapixels CMOS	8 Megapixels CMOS	2 Megapixels CMOS	2 Megapixels CMOS			
Output Resolution	Full HD 1080p 60fps	Full HD 1080p 60fps	4K 30fps	4K 30fps	Full HD 1080p 60fps	Full HD 1080p 60fp:			
Optical Zoom	30X	30X	12X	12X	30X	12X			
HFOV	65° (Wide) to 2.3° (Tele)	65.1° (Wide) to 2.34° (Tele)	70° (Wide) to 6° (Tele)	70° (Wide) to 6° (Tele)	67° (Wide) to 2.3° (Tele)	72.5° (Wide) to 6.3° (Tele)			
Panoramic Camera									
Effective Picture Elements	2 Megapixels CMOS	_	_	_	_	_			
Output Resolution	Full HD 1080p 60fps	_	_	_	_	_			
HFOV	110°	_	_	_	_	_			
Camera									
Pan/Tilt Rotation	Pan: ±175 Tilt: +90°/-30°	Pan: ±170° Tilt: +90°/-30°	Pan: ±170° Tilt: +90°/-30°	Pan: ±170° Tilt: +90°/-30°	Pan: ±170° Tilt: +90°/-30°	Pan: ±170° Tilt: +90°/-30°			
Pan/Tilt Speed	2° to 50°/sec	0.1° to 100°/sec	0.1° to 100°/sec	0.1° to 100°/sec	0.1° to 100°/sec	0.1° to 100°/sec			
Preset Speed	160°/sec	200°/sec	200°/sec	200°/sec	200°/sec	200°/sec			
Output Interfaces	3G-SDI HDMI IP USB (PTC500+ only)	3G-SDI HDMI IP USB	3G-SDI HDMI IP USB	HDMI IP USB	3G-SDI HDMI IP USB	3G-SDI HDMI IP USB			
USB Video Formats	YUV, MJPEG (PTC500+ only)	MJPEG, YUY2	MJPEG, YUY2	MJPEG, YUY2	YUV, MJPEG, H.264	YUV, MJPEG, H.264			
UVC	UVC1.1 (PTC500+ only)	UVC1.1	UVC1.1	UVC1.1	UVC1.1	UVC1.1			
UAC	UAC1.0 (PTC500+ only)	UAC1.0	UAC1.0	UAC1.0	UAC1.0	UAC1.0			
Control Interfaces	RS-232 IP USB (PTC500+ only)	RS-232 RS-422 IP USB	RS-232 RS-422 IP USB	RS-232 RS-422 IP USB	RS-232 RS-422 IP USB	RS-232 RS-422 IP USB			
Network Protocols	IPv4, TCP, UDP, ARP, IC	MP, IGMP, HTTP, DHCP, F	RTP/RTCP, RTSP, RTMP, (ONVIF*, VISCA over IP					
Control Protocols	VISCA, Pelco-D, Pelco-P, CGI								
NDI® HX	_	Yes (PTC330N only)	Yes (PTC310UN only)	Yes (PTC310HN only)	Yes (PTZ330N only)	Yes (PTZ310N only)			
Auto Tracking Modes/Al Functions	Wide Area Mode Stage Mode Segment Mode	Presenter Mode Zone Mode Hybrid Mode	Presenter Mode Zone Mode Hybrid Mode	Presenter Mode Zone Mode Hybrid Mode	SmartFrame SmartShoot	SmartFrame SmartShoot			


16

^{*} Specifications may vary depending on location and are subject to change without not



AVer Takes Care of Customers:









Product Warranty & Customer Service 20+ Years of Experience!

AVer delivers product design, R&D, and manufacturing, and a full warranty. Be confident in our product quality and enjoy timely service.

- Installation & Operation Services
- Technical Support
- Customised Trainings









www.avereurope.com

©2022 AVer Information Europe B.V. All rights reserved. All brand names and logos are trademarks of their respective companies. Distributor/Dealer