

6. Automatic keystone correction failed

- a. Ensure that the Camera on the front panel is not blocked or dirty.
- b. The best automatic keystone correction distance is 1.3-3.0 m, horizontal $\pm 20^\circ$.

7. Autofocus failure

- a. Ensure that the Camera on the front panel is not blocked or dirty.
- b. The best autofocus distance is 1.3-3.0 m, horizontal $\pm 20^\circ$.

8. The Remote Control is unresponsive

- a. Ensure that the remote control is successfully paired via Bluetooth connection. If the pairing is successful, the indicator light will not flash when the button is pressed.
- b. If the pairing is unsuccessful, and the Remote Control is at IR communication, the indicator light will flash when the button is pressed.
- c. Ensure that there are no interferences or obstructions between the projector and remote control.
- d. Check the battery and installation polarity.

9. Connect the Bluetooth devices

Enter settings, open the Bluetooth option to check the Bluetooth device list, and connect the device.

10. Others

Please feel free to contact us at support@dangbei.com

Important Precautions

- As with any bright source, do not stare into the direct beam, RG1 IEC 62471-5:2015
- Do not block or cover the heat dissipation holes of the device to avoid affecting the heat dissipation of internal parts and damaging the device.
- Keep away from humidity, exposure, high temperature, low pressure, and magnetic environment.
- Do not place the device in areas susceptible to excessive dust and dirt.
- Put the device in the flat and stable station, do not put it in the place prone to vibration.
- Do not allow children to handle the device without supervision.
- No not place heavy or sharp objects on this device.
- Avoid extreme vibrations as they may damage the internal components.
- Please use correct type of battery for the remote control.
- Only use attachments/accessories specified or provided by the manufacturer. (such as the exclusive power adapter, bracket, etc)
- Do not disassemble the device personally, repair the device only for staff authorized by the company.
- Place and use the device in an environment of 0°C-40°C.
- Do not use the earphones for a long time. Excessive sound from the earphones can damage your hearing.
- The plug is considered as disconnect device of adapter.
- As with any bright source, do not stare into the direct beam.
- The adapter shall be installed near the equipment and shall be easily accessible.
- Protect the power cord from being walked on or pinched, particularly at plugs, convenience receptacles, and the point where they exit from this device.
- Unplug this device if there are lightning storms or when unused for a long period of time.
- Where the power plug or an appliance coupler is used as the disconnect device, the disconnect device shall remain readily operable.
- Before you make or change any connections, ensure that all devices are disconnected from the power outlet.
- Never touch the power cable or the power connector with wet hands.

Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment to an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

We declare that this device is in compliance with the essential requirements and other relevant provisions of Directive 2014/53/EU. Satisfies all the technical regulations applicable to the product within the scope of UK Radio Equipment Regulations (SI 2017/1206); UK Electrical Equipment (Safety) Regulations (SI 2016/1101); and UK Electromagnetic Compatibility Regulations (SI 2016/1091). This device operating frequency:2402-2480MHz(EIRP < 20dBm),2412-2472MHz(EIRP < 20dBm),5150~5250MHz(EIRP < 23dBm), 5250~5350MHz(EIRP < 20dBm),5470~5725MHz(EIRP < 27dBm),5725~5850MHz(EIRP < 13.98dBm).



Manufactured under license from Dolby Laboratories. Dolby, Dolby Audio, and the double-D symbol are trademarks of Dolby Laboratories Licensing Corporation.